

## **IN THE CLAIMS**

Please amend claims 1-25 as follows:

~~{Claim 1}~~

1. (Currently Amended) A skin treatment composition having a water dispersion of a polymer in which a non-water soluble film-forming polymer is dispersed in water, wherein the main ingredients of said film-forming polymer are polyurethane having a film shrinkage rate of 20% or less and an acrylic type polymer having a film shrinkage rate of 20% or less.

~~{Claim 2}~~

2. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 1, wherein said polyurethane is polyurethane obtained by reacting an isocyanate compound and a diol compound containing a polyether diol, polycarbonate diol, and alkylene diol containing a carboxyl group.

~~{Claim 3}~~

3. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 2, comprising isophorone diisocyanate for the isocyanate compound.

~~{Claim 4}~~

4. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 2 ~~[[or 3]]~~, wherein the polyether diol is polytetramethylene glycol, the polycarbonate diol is polyhexamethylene carbonate diol, and the alkylene diol containing a carboxyl group is dimethylolpropionic acid and/or dimethylolbutanoic acid.

{~~Claim 5~~}

5. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 4]], wherein the acrylic type polymer is a polymer from monomers whose main ingredient is ethyl acrylate.

{~~Claim 6~~}

6. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 5]], wherein the water dispersion of an acrylic type polymer contains sulfonated polyvinyl alcohol.

{~~Claim 7~~}

7. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 6]], wherein the film strength of the polyurethane is 300-700 kg/cm<sup>2</sup>, and the film strength of the acrylic type polymer is 0.1-100 kg/cm<sup>2</sup>.

{~~Claim 8~~}

8. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 7]], wherein the film elongation of the polyurethane is 200-500%, and the film elongation of the acrylic type polymer is 500-2000%.

{~~Claim 9~~}

9. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 8]], wherein the average particle size of the polyurethane in the water dispersion of polyurethane is 10-300 nm, and the average particle size of the acrylic type polymer in the water dispersion of an acrylic type polymer is 100-600 nm.

{Claim 10}

10. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 9]], wherein the polyurethane in the water dispersion of polyurethane is a mixture of particles having an average particle size of 20-60 nm and particles having an average particle size of 150-200 nm.

{Claim 11}

11. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 10]] that contains the polyurethane to 1-10 wt% of the total weight of the skin treatment composition, and the acrylic type polymer to 1-20 wt% of the total weight of the skin treatment composition.

{Claim 12}

12. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 1 [[to 11]] that further comprises scaly silica.

{Claim 13}

13. (Currently Amended) A skin treatment composition for wrinkle reduction comprising:

- (a) a non-emulsification type cross-linked silicone,
- (b) a film forming polymer having a film shrinkage rate of 20% or less containing as a main ingredient a polyurethane having a film shrinkage rate of 20%,
- (c) a liquid oil component, and
- (d) water.

~~{Claim 14}~~

14. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 13, wherein (a) the non-emulsification type cross-linked silicone is one, two, or more chosen from a group consisting of a cross polymer derived from a reaction between methyl hydrogen polysiloxane and methyl vinyl polysiloxane, a cross polymer derived from a reaction between a partial long chain alkylated methyl hydrogen polysiloxane and methyl vinyl polysiloxane, and a cross polymer derived from a reaction between methyl hydrogen polysiloxane and alkene.

~~{Claim 15}~~

15. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 14, wherein the number of carbons in the long chain alkyl in the partial long chain alkylated methyl hydrogen polysiloxane is 10-14.

~~{Claim 16}~~

16. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims~~ claim 13 ~~[[to 15]]~~, wherein the non-emulsion type cross-linked silicone is added as it is swollen with a liquid oil component.

~~{Claim 17}~~

17. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims~~ claim 13 ~~[[to 16]]~~, wherein said polyurethane is polyurethane obtained by reacting an isocyanate compound and a diol compound containing a polyether diol, polycarbonate diol, and alkylene diol containing a carboxyl group.

~~{Claim 18}~~

18. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 17, comprising isophorone diisocyanate for the isocyanate compound.

~~{Claim 19}~~

19. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 17 ~~[[or 18]]~~, wherein the polyether diol is polytetramethylene glycol, the polycarbonate diol is polyhexamethylene carbonate diol, and the alkylene diol containing a carboxyl group is dimethylolpropionic acid and/or dimethylolbutanoic acid.

~~{Claim 20}~~

20. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 13 ~~[[to 19]]~~, wherein the film strength of the polyurethane is 300-700 kg/cm<sup>2</sup>.

~~{Claim 21}~~

21. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 13 ~~[[to 20]]~~, wherein the film elongation of the polyurethane is 200-500%.

~~{Claim 22}~~

22. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims claim~~ claim 13 ~~[[to 21]]~~, wherein a film forming polymer having a film shrinkage rate of 20% or less containing as a main ingredient a polyurethane having a film shrinkage rate of 20% is added in the form of a water dispersion.

{Claim 23}

23. (Currently Amended) The skin treatment composition for wrinkle reduction of claim 22, wherein the average particle size of the polyurethane in the water dispersion of polyurethane is 10-300 nm.

{Claim 24}

24. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims~~ claim 22 [[to 23]], wherein the polyurethane in the water dispersion of polyurethane is a mixture of particles having an average particle size of 20-60 nm and particles having an average particle size of 150-200 nm.

{Claim 25}

25. (Currently Amended) The skin treatment composition for wrinkle reduction of ~~one of~~ ~~claims~~ claim 13 [[to 24]] that contains the non-emulsion type cross-linked silicone to 0.5-5.0 wt% of the total amount of the skin treatment composition and the polyurethane having a film shrinkage rate of 20% or less to 0.1-10.0 wt% of the total amount of the skin treatment composition